

Washington Flora Checklist

A checklist of the Vascular Plants of Washington State

Hosted by the University of Washington Herbarium

Family: Rhamnaceae

9 terminal taxa (species, subspecies, and varieties).

The Washington Flora Checklist aims to be a complete list of the native and naturalized vascular plants of Washington State, with current classifications, nomenclature and synonymy.

Taxa included in the checklist:

- * Native taxa whether extant, extirpated, or extinct.
- * Exotic taxa that are naturalized, escaped from cultivation, or persisting wild.
- * Waifs (e.g., ballast plants, escaped crop plants) and other scarcely collected exotics.
- * Interspecific hybrids that are frequent or self-maintaining.
- * Some unnamed taxa in the process of being described.

Family classifications follow [APG IV](#) for angiosperms, PPG I (J. Syst. Evol. 54:563?603. 2016.) for pteridophytes, and Christenhusz et al. (Phytotaxa 19:55?70. 2011.) for gymnosperms, with a few exceptions. Nomenclature and synonymy at the rank of genus and below follows the [2nd Edition of the Flora of the Pacific Northwest](#) except where superseded by new information.

Accepted names are indicated with blue font; synonyms with black font.
Native species and infraspecies are marked with **boldface** font.

Please note: This is a working checklist, continuously updated. Use it at your discretion.

Created from the Washington Flora Checklist Database on April 18th, 2024 at 1:06pm PST.
Available online at <https://burkeherbarium.org/waflora/>

Comments and questions should be addressed to the checklist administrators:
David Giblin (dgiblin@uw.edu)
Peter Zika (zikap941@gmail.com)

Suggested citation:

Weinmann, F., P.F. Zika, D.E. Giblin, B. Legler. 2002+. Checklist of the Vascular Plants of Washington State. University of Washington Herbarium. <https://burkeherbarium.org/waflora/>. Accessed 18 Apr 2024.

Dicots:

Rhamnaceae [HC, HC2] Buckthorn Family

Synonyms: (none)

References: (none)

Ceanothus [HC, HC2]

buckbrush, buckthorn, ceanothus, wild-lilac

Ceanothus cuneatus (Hook.) Nutt. [HC, HC2]

Fl. N. Amer. (Torr. & A. Gray) 1(2): 267.

common buckbrush, narrow-leaf buckthorn, sedge-leaf buckthorn

var. *cuneatus* [HC2]

common buckbrush, sedge-leaf buckthorn

Ceanothus integerrimus Hook. & Arn. [HC, HC2]

Bot. Beechey Voy. 329.

deerbrush

Ceanothus andersonii Parry

Ceanothus californicus Kellogg

Ceanothus prostratus Benth. [HC, HC2]

Pl. Hartw. 302 [1849].

prostrate ceanothus, Mahala mat

var. *prostratus* [HC2]

Ceanothus sanguineus Pursh [HC, HC2]

Fl. Bor.-Amer. 1(3): 125, pl. 45 [1813].

redstem ceanothus, Oregon teatree

Ceanothus velutinus Douglas [HC, HC2]

Fl. Bor.-Amer. (Hooker) 1(3): 125 (t. 45).

mountain balm, greasewood, sticky-laurel, tobacco-brush

var. *laevigatus* Torr. & A. Gray [HC, HC2]

Fl. N. Amer. 1(4): 686

mountain balm, greasewood, sticky-laurel

Ceanothus velutinus Douglas var. *hookeri* M.C. Johnst.

var. *velutinus* [HC, HC2]

Fl. Bor.-Amer. 1(3): 125, pl. 45.

mountain balm, greasewood

Frangula [HC2]

coffee berry

Frangula purshiana (DC.) A. Gray ex J.G. Cooper [HC2, JPM2]

Pacif. Railr. Rep. 12(2): 57.

buckthorn, false buckthorn, cascara

Rhamnus purshiana DC. [HC]

ssp. *purshiana* [FNA]

Pacif. Railr. Rep. 12(2): 57. 1860.

buckthorn, cascara

Rhamnus [HC, HC2]

buckthorn, cascara

(see also *Frangula*)

Rhamnus alnifolia L'Hér. [HC, HC2, JPM2]

Sert. Angl. 5.

alder-leaf buckthorn

Rhamnus cathartica L. [HC2]

Sp. Pl. 1: 193.

common buckthorn